

## TECHNICAL DATA

# Fluke CXT170 Extreme Case



## Key features

- Dimensions (H x W x D): 10.62 x 9.68 x 4.87 (in), 315 x 174 x 104 (mm)
- Waterproof up to 3 feet with O-ring seal, airtight and built for extreme conditions. Features patent-pending spring-release latches, stackability, and a finger groove for easy carrying.
- Offers maximum protection for your Fluke tools and accessories against high impact, vibration or shock
- see compatible products below

## Product overview: Fluke CXT170 Extreme Case

Unbreakable, watertight, airtight, dustproof, chemical resistant and corrosion proof.

## Ordering information



### Fluke CXT170

---

For use with the following test tools:

- Air Quality: 922
  - Insulation Testers: 1503, 1507, 1577, 1587
  - Multimeters: 77 III, 77 IV, 114, 115, 116, 117, 177, 179
  - Process Tools: 712, 714, 715, 717, 718, 787
  - Temperature: 51, 51-2, 52, 52-2, 53, 53-2, 54, 54-2
-

Fluke. *Keeping your world up and running.*®

**Fluke Europe B.V.**

P.O. Box 1186  
5602 BD Eindhoven  
The Netherlands  
[www.fluke.com/en](http://www.fluke.com/en)

©2024 Fluke Corporation. All rights reserved.  
Data subject to alteration without notice.  
07/2024

**For more information call:**

In Middle East/Africa  
+31 (0)40 267 5100

**Modification of this document is not permitted  
without written permission from Fluke Corporation.**